



PIPER M700 FURY

2024 S/N: 46020005 Reg.no.: N705M

European Aircraft Sales A/S
Lufthavnvej 151, 5270 Odense N
Denmark

www.europeanaircraftsales.com
sales@europeanaircraftsales.com

Telephone: +45 4016 5401
Telephone: +45 9310 1121



GENERAL INFORMATION

Meet the new Piper M700, the first in a new generation of the Piper M-Class family! Powered by the Pratt & Whitney PT6A-52 engine, the M700 boasts a maximum cruise speed of 301 kts, and a max range of 1,424 nm at normal cruise speed, while maintaining its Basic Med compliant 6,000-pound MTOW limit.

The M700 features Garmin's G3000® avionics system—a touchscreen-controlled glass flight deck. The G3000 avionics suite is the most sophisticated Garmin technology available and offers the most comprehensive, intuitive and technologically advanced package in today's market.

Highlights of this aircraft:

HALO Safety System incl. Garmin Autoland and Autothrottle

Full Awareness Package installed, including GWX 8000 Radar

Take-off distance less than 2,000 ft

Climb rate 2,048 ft per minute

ASKING PRICE: USD 4,321,589 (ex.VAT)

This aircraft is offered, subject to verification and availability. Specifications and/or descriptions are provided as introductory information only and we reserve the right to make changes to this specification due to misprints, errors and omissions.

AIRFRAME

YEAR	2024
TOTAL TIME	30 hrs (factory new)
ENGINE	Pratt&Whitney PT6A-52
PROPELLER	Hartzell 5-blade



MAX RANGE at normal cruise
1424 nm



MAX SPEED
301 kts



MTOW
6000 lbs



SEATS
6



TAKE-OFF DISTANCE
1994 ft



This aircraft is offered, subject to verification and availability. Specifications and/or descriptions are provided as introductory information only and we reserve the right to make changes to this specification due to misprints, errors and omissions.

AVIONICS

GARMIN G3000 AVIONICS SUITE with HALO Safety System

- GFC 700 Digital Autopilot
- Dual GTC 575 Touchscreen Cockpit Management Units
- GMA 36B Digital Audio Panel
- GTX 345D Diversity Transponder
- GWX 75 Weather Radar
- GDL60 Datalink
- Garmin FliteCharts
- Garmin PlaneSync™
- Garmin GI-275 Standby
- Integrated Digital Cabin Pressurization
- Flight Into Known Icing (FIKI)
- PiperAire Air Conditioning
- Bose A30 Headsets (2)
- USB A & C Charging Ports
- Rosen Visors

HALO Safety System

- Garmin Emergency Autoland (fully autonomous)
- Auto Throttle
- Radar Altimeter
- Enhanced AFCS Enablement
- SurfaceWatch
- Synthetic Vision
- SafeTaxi
- TerminalTraffic

Additional equipment installed

- GSR 56 Iridium Transceiver - International (Talk, Text and Weather)
- CAS Link Checklists
- TAWS-B (Terrain Awareness and Warning System)
- GWX 8000 StormOptix
- Second Transponder: Dual Antennas (345DR Position 1) & GTX335R Digital Transponder (Position 2)
- GTS-855 Traffic Advisory System (TCAS I) (includes GTS 825)
- Jeppesen Chartview
- DME - BendixKing KN63 Remote DME
- Taxiway Routing Enablement



This aircraft is offered, subject to verification and availability. Specifications and/or descriptions are provided as introductory information only and we reserve the right to make changes to this specification due to misprints, errors and omissions.



EXTERIOR

Pearl Titanium body with dark blue striping.
Black spinner, exhaust and landing gear.

This aircraft is offered, subject to verification and availability. Specifications and/or descriptions are provided as introductory information only and we reserve the right to make changes to this specification due to misprints, errors and omissions.

INTERIOR

Black executive leather interior with alcantara seats and stitching matching the striping of the exterior.



This aircraft is offered, subject to verification and availability. Specifications and/or descriptions are provided as introductory information only and we reserve the right to make changes to this specification due to misprints, errors and omissions.

CONTACT

For more information, please do not hesitate to contact us.

We look forward to working with you.



European aircraft sales



This aircraft is offered, subject to verification and availability. Specifications and/or descriptions are provided as introductory information only and we reserve the right to make changes to this specification due to misprints, errors and omissions.